



Features

Eco-friendly LED technology along with energy saving and free of maintenance.

Patent thermal management guarantees long lifespan. Precise optical technology and anti-dazzle design create unmatched visual comfort and high performances. No UV or IR radiation in the light beam.

Application

Rotationally symmetrical and smooth light distribution for highlighting or lighting arranged for specific zone including bathroom, kitchen and bedroom, foyers, corridor and hallway and also in roofed outdoor area.



TS LHD006S 15SY7U / TS LHD006S 24SY7U / TS LHD006S 35SY7U

Size : Dia: 91mm Ht:64mm
Lamp : 6 x 1.2W Golden Dragon Plus WW LED-7U (350mA)
Angle : 15° 24° 35°
Color : ■ SV



TS LHD006 15SY7U / TS LHD006 24SY7U / TS LHD006 35SY7U

Size : Dia: 103mm Ht:64mm
Lamp : 6 x 1.2W Golden Dragon Plus WW LED-7U (350mA)
Angle : 15° 24° 35°
Color : ■ SV



TS LHD015 15SY7U / TS LHD015 24SY7U / TS LHD015 35SY7U

Size : Dia: 135mm Ht:68.5mm
Lamp : 15 x 1.2W Golden Dragon Plus Warm White LED-7U (350mA)
Angle : 15° 24° 35°
Color : ■ SV



TS LHD0015 15WL8R

Size : Dia: 135mm Ht:68.5mm
Lamp : 15 x 1.2W Golden Dragon Plus Warm White LED-8R (350mA)
Angle : 15°
Color : □ WH



TS LHD0015 GP24 WW

Size : Dia: 135mm Ht:68.5mm
Lamp : 15 x 1.2W Golden Dragon Plus Warm White LED(350mA)
Angle : 24°
Color : □ WH



TS LHD0015 GP35 WW

Size : Dia: 135mm Ht:68.5mm
Lamp : 15 x 1.2W Golden Dragon Plus Warm White LED(350mA)
Angle : 35°
Color : □ WH



TS LSP3200H24B7S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LTVC18A Driver
 - 15 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 24°
 Color : ■ BK



TS LSP3200H24W7S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LTVC18A Driver
 - 15 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 24°
 Color : □ WH



TS LSP3200H35W7S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LTVC18A Driver
 - 15 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 35°
 Color : □ WH



TS LSP3200H15W8R

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LTVC18A Driver
 - 15 x 1.2W Golden Dragon Plus Warm White LED-8R
 Angle : 15°
 Color : □ WH



TITAN LED LIGHTING



TS LSP3200H35W8R

Track adjustable spotlight — Track adaptor (HJ203)

Lamp : 1 x LTVC18A Driver

- 15 x 1.2W Golden Dragon Plus Warm White LED-8R

Angle : 35°

Color : WH



TS LSP3200H24W7M

Track adjustable spotlight — Track adaptor (HJ203)

Lamp : 1 x LTVC18A Driver

- 15 x 1.2W Golden Dragon Plus Nature White LED-7M

Angle : 24°

Color : WH



TS LHD003 15WL7U

Size : Dia: 70mm Ht:53mm

Lamp : 3 x 3W Golden Dragon Warm White LED-7U

Angle : 15°

Color : WH



TS LHD003 24WL7U

Size : Dia: 70mm Ht:53mm

Lamp : 3 x 3W Golden Dragon Warm White LED-7U

Angle : 24°

Color : WH





TS LSP3700H15W7R

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LBVC9BI Driver
 - 3 x 3W Golden Dragon Plus Warm White LED-7R
 Angle : 15° 24° 35°
 Color : WH




TS LSP3700H24B8S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LBVC9BI Driver
 - 3 x 3W Golden Dragon Plus Warm White LED-8S
 Angle : 24°
 Color : BK




TS LSP3112 15W8R

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x TS LETVC18A Driver
 - 12 x 1.2W Golden Dragon Plus Warm White (3K) LED-8R
 Angle : 15° 24°
 Color : WH




TS LSP3112 15W7D

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x TS LETVC18A Driver
 - 12 x 1.2W Golden Dragon Plus Cool White (6K) LED-7D
 Angle : 15° 24°
 Color : WH



TS LSP3112 15W7M

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x TS LETVC18A Driver
 - 12 x 1.2W Golden Dragon Plus Nature White (4K) LED-7M
 Angle : 15° 24°
 Color : WH



TS LSP3600H24W8R

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LMVC8AI Driver 350mA
 - 6 x 1.2W Golden Dragon Plus Warm White LED-8R
 Angle : 15° 24° 35°
 Color : WH BK



TS LSP3600H15W7S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LMVC8AI Driver 350mA
 - 6 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 15°
 Color : WH



TS LSP3600H35W7S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LMVC8AI Driver 350mA
 - 6 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 35°
 Color : WH



TS LSP3600H24W7M

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LMVC8AI Driver 350mA
 - 6 x 1.2W Golden Dragon Plus Nature White LED-7S
 Angle : 24°
 Color : WH




TS LSP3600H24B7S

Track adjustable spotlight — Track adaptor (HJ203)
 Lamp : 1 x LMVC8AI Driver (350mA)
 - 6 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 24°
 Color : BK




TS LSP3103 15W7R

Adjustable spotlight — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC3A Driver (350mA)
 - 3 x 1.2W Golden Dragon Plus Warm White LED-7R
 Angle : 15°
 Color : WH



TS LSP3103 A

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC3A Driver (350mA)
 - 3 x 1.2W Golden Dragon Warm White LED
 Angle : 12°
 Color : SV




TITAN LED LIGHTING




TS LSP3103 B

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC3A Driver (350mA)
 - 3 x 1.2W Golden Dragon Warm White LED
 Angle : 30°
 Color : ■ SV




TS LSP3103 15A8S

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC3A Driver (350mA)
 - 3 x 1.2W Golden Dragon Warm White LED-8S
 Angle : 15°
 Color : ■ SV



TS LSP3103 35A7R

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC3A Driver (350mA)
 - 3 x 1.2W Golden Dragon Warm White LED-7R
 Angle : 35°
 Color : ■ SV




TS LSP3106 A / B

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC9A Driver (350mA)
 - 6 x 1.2W Golden Dragon Warm White LED
 Angle : 12° 30°
 Color : ■ SV




TS LSP3106 15W8R

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC9A Driver (350mA)
 - 6 x 1.2W Golden Dragon Plus Warm White LED-8R
 Angle : 15°
 Color : ■ SV



TS LSP3106 24W7S

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)
 Lamp : 1 x TS LRVC9A Driver (350mA)
 - 6 x 1.2W Golden Dragon Plus Warm White LED-7S
 Angle : 15°
 Color : ■ SV






TS LSP3106 24W8R

Adjustable spotlight, Aluminum — (HJ203 Track adaptor)

- Lamp : 1 x TS LRVC9A Driver (350mA)
- 6 x 1.2W Golden Dragon Plus Warm White LED-8R
- Angle : 24°
- Color : ■ SV



TS GA006AGP B

Adjustable spotlight, Aluminum

- Size : Dia: 120mm
- Lamp : 15 x 1.2W Golden Dragon Plus WW LED (350mA)
- Angle : 15°
- Color : ■ SV



TS GA006AGP B

Adjustable spotlight, Aluminum

- Size : Dia: 90mm
- Lamp : 6 x 1.2W Golden Dragon Plus WW LED (350mA)
- Angle : 15°
- Color : ■ SV



TS MD103 15WW6U / TS MD103 24WW6U

LED lamp for MR16 fixture, Aluminum

- Size : Dia: 50mm Ht: 34mm
- Lamp : 3 x 1.2W Golden Dragon Plus WW LED-6U
- Angle : 15° 24°
- Color : ■ SV



TS MD103 GP115FW / TS MD103 GP124FW

LED lamp for MR16 fixture, Aluminum

- Size : Dia: 50mm Ht: 34mm
- Lamp : 3 x 1.2W Golden Dragon Plus WW LED-5R
- Angle : 15° 24°
- Color : ■ SV



TS MD103 35WW6U

LED lamp for MR16 fixture, Aluminum

- Size : Dia: 50mm Ht: 34mm
- Lamp : 3 x 1.2W Golden Dragon Plus WW LED-6U
- Angle : 35°
- Color : ■ SV



TS MD103 35WW6V

LED lamp for MR16 fixture, Aluminum

Size : Dia: 50mm Ht: 34mm

Lamp : 3 x 1.2W Golden Dragon Plus WW LED-6V

Angle : 35°

Color : ■ SV



TS LDL911R60W7R

Size : Dia: 95mm Ht:84mm

Cutting hole : Dia: 82mm

Lamp : 3 x 3W Golden Dragon Plus WW LED-7R (700mA)

Angle : 60°

Color : □ WH



TS LDL912R90W7R

Size : Dia: 125mm Ht:100mm

Cutting hole : Dia: 100mm

Lamp : 9 x 1.2W Golden Dragon Plus WW LED-7R (350mA)

Angle : 90°

Color : □ WH



TS LDL913R90W6R

Size : Dia: 165mm Ht:135mm

Cutting hole : Dia: 128mm

Lamp : 12 x 1.2W Golden Dragon Plus WW LED-6R (350mA)

Angle : 90°

Color : □ WH



TS LDL913R90W8S

Size : Dia: 165mm Ht:135mm

Cutting hole : Dia: 128mm

Lamp : 12 x 1.2W Golden Dragon Plus WW LED-8S (350mA)

Angle : 90°

Color : □ WH



TS LDL914R90W WW

Size : Dia: 187mm Ht:144mm

Cutting hole : Dia: 150mm

Lamp : 15 x 1.2W Golden Dragon Plus WW LED (350mA)

Angle : 90°

Color : □ WH



TS OLG1060A A

Outdoor spotlight

Size : Dia: 80mm

Lamp : 6 x 1.2W Golden Dragon Plus WW LED
with built-in LRVC9A Driver

Angle : 15°

Color : ■ SV



TS OLG1030GP15G

Outdoor spotlight

Size : Dia: 60mm

Lamp : 3 x 1.2W Golden Dragon Plus WW LED
with built-in LRVC3A Driver

Angle : 15° 24°

Color : ■ SV



TS OLG1030GP15B

Outdoor spotlight

Size : Dia: 60mm

Lamp : 3 x 1.2W Golden Dragon Plus WW LED
with built-in LRVC3A Driver

Angle : 15° 24°

Color : ■ BK



TS OLG003PGP GRW

Outdoor spotlight

Lamp : 1 x 3W Golden Dragon Plus WW LED-5R (700mA)
with "U" bracket & 1.9m cable

Angle : 15°

Color : ■ SV



TS SCOOP90LED MW

Recessed Wall Light

Size : 90 x 90mm

Lamp : 1 x 1.2W SSC P4 Star LED WW

Color : □ WH



TS SCOOPGDL MW

Recessed Wall Light

Size : 90 x 90mm

Lamp : 1 x 1.2W Golden Dragon Plus LED

Color : □ WH

TITAN LED LIGHTING




TS LDL E01 WH3K

Recessed Wall Light, Aluminum
 Size : 90 x 90mm Ht:37mm
 Cutting hole : 77 x 77mm
 Lamp : 1 x 1.2W Z-Power Star WHT 3000K LED




TS LDL E01 WH6K

Recessed Wall Light, Aluminum
 Size : 90 x 90mm Ht:37mm
 Cutting hole : 77 x 77mm
 Lamp : 1 x 1.2W Z-Power Star WHT 6000K LED




TS LDL E01 BL

Recessed Wall Light
 Size : 90 x 90mm Ht:37mm
 Cutting hole : 77 x 77mm
 Lamp : 1 x 1.2W Z-Power Star BLUE LED




TS LDL E01 SB 3

Recessed Wall Light
 Size : 90 x 90mm Ht:37mm
 Cutting hole : 77 x 77mm
 Lamp : 1 x 1.2W Golden Dragon II LED



TS LDL E01 AM

Recessed Wall Light
 Size : 90 x 90mm Ht:37mm
 Cutting hole : 77 x 77mm
 Lamp : 1 x 1.2W Z-Power Star Amber LED



TS LDL E01 SW / SYW

Recessed Wall Light
 Size : 90 x 90mm Ht:37mm
 Cutting hole : 77 x 77mm
 Lamp : 1 x 1.2W WW LED



