




COB ANTI-GLARE DOWN LIGHT | Round | Recessed

VFDS-332 (SAMSUNG)


IP20 | IP44  **CRI 80** **CRI 85**




SAMSUNG 7W 80°




SAMSUNG 10W 80°




SAMSUNG 15W 80°





SAMSUNG 24W 80°





SAMSUNG 35W 80°




**7W SAMSUNG**   
 2700K-6500K  
 770 lm (luminaire output)  
 180-240V, 50/60Hz  
 Cutting hole: Ø75mm  
 Dimension: Ø85 x H46mm

**10W SAMSUNG**   
 2700K-6500K  
 1100 lm (luminaire output)  
 180-240V, 50/60Hz  
 Cutting hole: Ø95mm  
 Dimension: Ø105 x H60mm

**15W SAMSUNG**   
 2700K-6500K  
 1650 lm (luminaire output)  
 180-240V, 50/60Hz  
 Cutting hole: Ø120mm  
 Dimension: Ø135 x H98mm

**24W SAMSUNG**   
 2700K-6500K  
 2640 lm (luminaire output)  
 180-240V, 50/60Hz  
 Cutting hole: Ø175mm  
 Dimension: Ø185 x H90mm

**35W SAMSUNG**   
 2700K-6500K  
 3850 lm (luminaire output)  
 180-240V, 50/60Hz  
 Cutting hole: Ø200mm  
 Dimension: Ø219 x H98mm

**42W SAMSUNG**   
 2700K-6500K  
 4620 lm (luminaire output)  
 180-240V, 50/60Hz  
 Cutting hole: Ø200mm  
 Dimension: Ø219 x H98mm

Where VV (Reflector) = 01 or 02 or 03



01-Matt White 02-Silver 03-Chrome

Ordering Code: VFDS-332 **XXW** - **ZZZ** - **VV**

Example: VFDS-332-10W-830-02

VV = (Reflector) 01, 02 or 03

XX = (Watt) e.g. 7W, 10W, 15W...

ZZZ = the code for color rendering and color temperature, eg.  
**827** = CRI >80 and CCT - 2700K; **830** = CRI >80 and CCT - 3000K; **840** = CRI >80 and CCT - 4000K