

RETROFIT DOWN LIGHT | GU10, MR16 & LED Modules

VTS-DL-506 (Fixed)




Features

- Lamp cover can be replaced, and a large number of accessories to maximize a variety of space.
- Can take different range of halogen lamp:MR-16, GU-10.
- Small shape with IP64 protection has excellent decorative usage for damp locations.

Application

General lighting or lighting arranged for specific zone including bathroom, kitchen and bedroom, foyers, corridor and hallway and also in roofed outdoor area.






LED MODULES OPTION

(refer to page 389-394 for full selection of LED modules, MR16 & GU10 LED)



VTS-MD-D001 (9.5W)
CREE CoB (700lm)
450mA
2700K/3000K/4000K
15° / 24° / 36°



VTS-MD-B001 (13W)
CITIZEN CoB (1300lm)
350mA
2700K/3000K/4000K
25° / 40°

GU10 LED OPTION



VTLB-LPC1610M (7.5W)
CoB (620lm)
3000K/4000K
24° / 36°



VTLB-LPC1610P (6.5W)
CoB (530lm)
3000K/4000K
24° / 36°



VTLB-LPC1653 (6W)
CoB (550-600lm)
2700K/3000K
10° / 20° / 30°

Ordering Code: VTS- V - O - ZZZ


Example: **VTS-DL-506-(choice of retrofit lamps: refer to page 389-394)-840**

V = DL-506; HDL-506

O = Lamp type: LED Modules Option/GU10/MR16


ZZZ = the code for color rendering and color temperature, eg. 827 = CRI >80 and CCT - 2700K; 830 = CRI >80 and CCT - 3000K; 840 = CRI >80 and CCT - 4000K

RETROFIT PINHOLE DOWN LIGHT | GU10, MR16 & LED Modules




VHD-2053

Adjustable
 Lamp : MR16 LED
 Cutting hole : Ø80
 Dimension : Ø95 x H48mm
 Color : Matt White




VFPC-1028-MR16-AD

Adjustable
 Lamp : MR16 LED
 Cutting hole : Ø80
 Dimension : Ø92 x H50mm
 Color : Matt White with glass




VFMD-13L-609-FWH

Adjustable
 Lamp : MR16 LED
 Cutting hole : Ø80
 Dimension : Ø90 x H50mm
 Color : Matt White




VFMD-13L-609-GWH

Adjustable
 Lamp : MR16 LED
 Cutting hole : Ø80
 Dimension : Ø90 x H50mm
 Color : Matt White with glass




VFMD-14L-609-FWH

Fixed
 Lamp : MR16 LED
 Cutting hole : Ø80
 Dimension : Ø90 x H50mm
 Color : Matt White



VFMD-14L-609-GWH

Fixed
 Lamp : MR16 LED
 Cutting hole : Ø80
 Dimension : Ø90 x H50mm
 Color : Matt White



Ordering Code: V-V - O - ZZZ

Example: **V-FMD-13L-609-GWH**-(choice of retrofit MR16 LED lamps)-830

V = HD-2053; FMD-13L-609-FWH; FMD-13L-609-GWH; FPC1028-MR16-AD etc...

O = Lamp type: LED MR16


ZZZ = the code for color rendering and color temperature, eg. **827** = CRI >80 and CCT - 2700K; **830** = CRI >80 and CCT - 3000K; **840** = CRI >80 and CCT - 4000K

RETROFIT PINHOLE DOWN LIGHT | Adjustable


INDOOR




VTS-DW-932B
3000K/4000K/6000K
Input Voltage: 12V
Cutting hole: Ø85mm
Dimension: Ø96 x H41mm




VTS-DW-933J
3000K/4000K/6000K
Input Voltage: 12V
Cutting hole: Ø90mm
Dimension: Ø100 x H51mm




VTS-DW-932C
3000K/4000K/6000K
Input Voltage: 12V
Cutting hole: Ø90mm
Dimension: Ø100 x H41mm




VTS-DW-933I
3000K/4000K/6000K
Input Voltage: 12V
Cutting hole: Ø85mm
Dimension: Ø96 x H51mm



VTS-DW-932D
3000K/4000K/6000K
Input Voltage: 12V
Cutting hole: Ø90mm
Dimension: Ø98 x H41mm



VTS-DW-933K
3000K/4000K/6000K
Input Voltage: 12V
Cutting hole: Ø90mm
Dimension: Ø98 x H51mm






LED MODULES OPTION

(refer to page 389-394 for full selection of LED modules, MR16 & GU10 LED)



VTS-MD-D001 (9.5W)
CREE CoB (700lm)
450mA
2700K/3000K/4000K
15° / 24° / 36°



VTS-MD-B001 (13W)
CITIZEN CoB (1300lm)
350mA
2700K/3000K/4000K
25° / 40°

Ordering Code: VDW- [V] - [XXW] - [YYD] - [ZZZ]

Example: **VTS-DW-933J-9W-24D-930**

V = 932B, 933J, 932C, 933I, 932D, 933K

XX = (Watt) e.g. 9w, 13w

YY = Beam angle in degrees

ZZZ = the code for color rendering and color temperature, eg. **927** = CRI >90 and CCT - 2700K; **930** = CRI >90 and CCT - 3000K; **940** = CRI >90 and CCT - 4000K.